



Survey results on the implementation of the Regional Strategy for the Prevention and Control of ASF

**Dr. Conrad Estrada** 








### **Evaluation of the Implementation of the GF-TADs Regional ASF Strategy (2021–2025)**







# Regional context





2. Improving biosecurity.


- 3. Ensuring the continuity of trade.
- 4. Coordinated risk communication, community engagement, and policy advocacy.
- 5. Surveillance for early detection.








# **Existence of a National Committee or Commission related to Swine Health in your country**







### **Context**









### **Context**


















### **Regional Strategy for the Prevention and Control of ASF**

# Level of implementation of the GF-TADs Regional PPA Strategy for the Americas in the country













# Pillar 1: Preparedness and Response






# Pillar 2: Biosecurity







### **Pillar 2: Biosecurity**



### Pillar 2 Biosecurity. Improving biosecurity: matches

## **Access Control** and Sanitation

Strict access control includes entry restrictions, sanitary showers, clothing changes, and up to 72-hour sanitary breaks.

# Disinfection Measures

Vehicles and facilities undergo disinfection using footbaths, cleaning of trucks, and sanitation of loading docks.

# Infrastructure Enhancements

Implementation of perimeter fences, bird-proof nets, and temporary housing zones for new pigs improves biosecurity.

# Animal Handling and Feeding Controls

Regulations on live animal entry and promotion of thermal treatment for food waste ensure safety.

### Border Controls and Prohibitions

Passenger and pork product inspections at borders with import bans from infected countries help prevent spread.

# Training and Certification Programs

Producers and workers receive training, evaluations, and information dissemination on risks and preventive measures.



## Farm Type Biosecurity Levels

• Technified and commercial farms enforce stricter biosecurity, while small farms have infrastructure and control limitations.

# Country-Specific Regulations


• Chile enforces 17 mandatory biosecurity standards; Brazil uses Vigiagro for international agricultural control.

# Movement and Traceability Systems

• Electronic transit systems and transport validation are implemented for products such as semen and embryos to enhance traceability.

# Risk Assessments and Certification


 High-risk farm visits and risk pathway evaluations help identify biosecurity gaps, supporting certification frameworks for pig farms.





# Pillar 3: Business continuity

### **Pillar 3: Business continuity**







**Pillar 3: Business continuity** 




# HARMONIZATION OF HEALTH REQUIREMENTS (IMPORTATION OF LIVE PIGS AND PORK PRODUCTS) RECOMMENDATIONS OF THE WOAH TERRESTRIAL CODE







# Pillar 4: Risk Communication and Community Engagement






# Pillar 5: Surveillance for Early Detection




# Implementation of active and passive surveillance strategies for the detection of ASF and CSF





### Pillar 5: Surveillance for Early Detection, similarities with passive surveillance





Mandatory reporting: All countries mention mandatory reporting systems for clinical suspicions.



**Suspicion response**: Samples are collected whenever signs compatible with CSF/ASF are reported.



**Community involvement**: Notification is encouraged from producers, veterinarians, and third parties.



**Training and awareness**: Talks, educational materials, and training are provided to enhance early detection.



**Differential diagnosis**: In many cases, when CSF is suspected, ASF diagnosis is also performed.






### Pillar 5: Surveillance for Early Detection, similarities with passive surveillance

Scheduled sampling:
Serological and
virological sampling is
conducted in farms,
slaughterhouses, fairs,
and high-risk areas.

Statistical design:
Some countries apply
risk-based and
stratified sampling
designs.

Regular inspections: Productive units are visited regularly to assess health and biosecurity. Monitoring in risk areas: Priority is given to areas near borders, landfills, ports, airports, and waste disposal sites.








# STRENGTHENING THE TECHNICAL CAPACITIES OF VETERINARY PERSONNEL IN EPIDEMIOLOGICAL SURVEILLANCE OVER THE LAST 5 YEARS

■ Strengthening the technical capacities of veterinary personnel in epidemiological surveillance over the last 5 years





## 1. Participation in International Training

- Personnel from all countries have participated in courses, workshops, and seminars organized by international organizations such as FAO, IICA, WOAH, CVP, USDA, APHIS, among others.
- Topics include ASF, CSF, transboundary animal diseases, and epidemiological surveillance.

### 2. Internal Training

- Regular in-house training is conducted on sample collection, suspicion response, and outbreak management procedures.
- Use of institutional virtual platforms (e.g., Senasa Virtual Classroom) for continuous education.

### 3. Simulation Exercises

- Field simulations and virtual exercises (e.g., AutoSims) are carried out to prepare for sanitary emergencies, especially ASF.
- Participation
   in regional simulation
   exercises focused on
   swine hemorrhagic
   diseases.

## 4. Continuous Education and Updates


- Annual or periodic meetings are held with epidemiologists to update sanitary programs.
- Virtual and in-person courses on exotic diseases, biosecurity, and disease notification procedures are offered.

### **Surveillance for early detection: Key Differences Between Countries or Institutions**


| Aspect                      | Observed Differences  |  |
|-----------------------------|---|--|
| Level of Technical Training | Some countries report participation in structured programs such as the <b>Field Epidemiology Training Program (FETP)</b> at basic and intermediate levels, and epidemiology diploma programs. |  |
| Bilateral Collaborations    | Paraguay stands out for its <b>collaboration with Taiwan</b> , including a specific training project on ASF diagnosis and prevention (2023–2024).   |  |
| Frequency of Updates        | In some cases, in-person updates are <b>biennial or occasional</b> , while virtual updates are conducted <b>annually</b> .  |  |
| Thematic Focus              | Some countries emphasize outbreak response and epidemiological investigation, while others focus more on academic and regulatory content.   |  |
| Personnel Coverage          | Some training programs target the <b>entire veterinary service (public and private)</b> , while others are directed at <b>specific technical staff</b> .                                      |  |




## ARE NATIONAL LABORATORIES TRAINED AND EQUIPPED TO DIAGNOSE ASF AND CSF?



### Pillar 5: Surveillance for Early Detection, Diagnostic Capabilities








# Main achievements and challenges of implementing the Regional Strategy for ASF






- 1 Early warning
- 2 Passive surveillance (increased reporting)
- 3 Regulatory framework
- 4 Emergency Preparedness
- 5 Biosecurity
- 6 Active surveillance (scheduled monitoring)
- 7 Risk assessment







- - Specific funds
  - 2 Sub notification
  - 3 Human resources
  - 4 Traceability
  - 5 Regulatory framework
  - 6 Public-private collaboration
  - 7 Interinstitutional coordination





- 1 Emergency Preparedness
- 2 Risk assessment
- 3 Biosecurity
- 4 Syndromic epidemiological surveillance
- 5 Traceability
- 6 Regulatory framework







# Capacities for addressing ASF and CSF






| Active    | surveillance   | 2 |
|-----------|----------------|---|
| / 1001110 | Jul velliuliee | _ |

- Passive surveillance
- Syndromic surveillance


  0
- Risk-based surveillance
- Laboratory diagnosis
   3
- Other (







- Passive surveillance 2
- Syndromic surveillance
   1
- Risk-based surveillance
   1
- Laboratorial diagnostic
   2
- Other








| <ul> <li>Biosecurity</li> </ul> | • |
|---------------------------------|---|
|---------------------------------|---|

- Movements control
- Traceability
- Emergency response
   2
- Risk communication
- Other (







### Elements to improve in the prevention and control of ASF in your country in the last 5 years

Biosecurity

2

Movement control

2

Traceability

3

Emergency response


2


Risk communication


2

Other

0










# Update of the Regional Framework for the Prevention and Control of ASF






- 2 Risk-based Epidemiological Surveillance
- 3 Syndromic Epidemiological Surveillance ( ASF/CSF )
- 4 Biosecurity
- 5 Emergency response
- 6 Laboratorial diagnostic
- 7 Safe trade







# Thank you for your attention!